

# Package: BinarybalancedCut (via r-universe)

September 17, 2024

**Type** Package

**Version** 0.2

**Title** Threshold Cut Point of Probability for a Binary Classifier Model

**Date** 2017-09-02

**Author** Navinkumar Nedunchezian

**Maintainer** Navinkumar Nedunchezian

<navinkumar.nedunchezian@gmail.com>

**Description** Allows to view the optimal probability cut-off point at which the Sensitivity and Specificity meets and its a best way to minimize both Type-1 and Type-2 error for a binary Classifier in determining the Probability threshold.

**License** GPL-2

**LazyData** FALSE

**Imports** ggplot2,reshape2

**Suggests** knitr

**NeedsCompilation** no

**Date/Publication** 2017-09-02 17:27:38 UTC

**Repository** <https://navinkumarnedunchezian.r-universe.dev>

**RemoteUrl** <https://github.com/cran/BinarybalancedCut>

**RemoteRef** HEAD

**RemoteSha** 9d8811dcb2b5c800bcc70b866477bf80c180aa29

## Contents

Binary\_threshold . . . . . 2

**Index** 3

---

Binary_threshold	<i>This Supports the datascientist to determine the optimal threshold for binary classifier problem by visuallizing the sensitivity, specificity and accurarcy of the given model</i>
------------------	---

---

**Description**

Prints 'Chart of sensitivity & specificity'.

**Usage**

```
Binary_threshold(probability,class)
```

**Arguments**

probability	Probability Obtained from the model
class	Actual Class of the datasets

**Examples**

```
set.seed(100);disease <- sample(c("yes","no"), 1000, replace=TRUE);  
Probabilities<-sample(seq(0,1,by=0.01),1000,replace=TRUE);  
Binary_threshold(Probabilities,disease)
```

# Index

Binary\_threshold, [2](#)